



*PRODUCT
RESTRICTED
SUBSTANCES LIST*

AS OF JUNE 30, 2026

TABLE OF CONTENTS

Introduction	Page 3
How to Use this PRSL	Page 4
Restricted Substances List	Page 5-20
Appendix	Page 21-25

INTRODUCTION

Capri Holdings Limited (together with its subsidiaries, the “Company” or “Capri”) takes its commitment to protect supply chain workers, customers, local manufacturing communities and the natural environment seriously. The Company expects its supply chain to use industry best practices to proactively manage chemicals, manufacturing Michael Kors and Jimmy Choo products in a safe manner while minimizing impacts on the environment. *More information on the Company’s holistic approach to chemical management can be found in its Supply Chain Compliance Handbook provided to suppliers, and in its annual Impact Report, made available at <https://www.capriholdings.com/impact/esg-resources/default.aspx>.*

To help ensure hazardous chemical impacts are effectively managed, Capri has adopted this Product Restricted Substances List (“PRSL” or “RSL”), which details the chemical restrictions applicable to any finished product or raw material supplied directly or indirectly to the Company. For the avoidance of doubt, this PRSL applies to apparel, accessories and footwear, including all components, trim and packaging related to the same for any Capri brand (collectively, “Products”).

Suppliers of any Product for any Capri brand (“Suppliers”) are expected to comply with the standards set out in this PRSL. It is the responsibility of Suppliers to share this PRSL with its own supply chain partners, including subcontractors, and ensure its partners comply with the standards set forth herein. Capri may verify compliance with the standards set forth in this PRSL through testing and analysis at independent laboratories.

This PRSL does not affect a Supplier’s responsibility to comply with all relevant legal requirements, including those related to environmental and product safety. It remains the responsibility of each Supplier to comply, and ensure its supply chain partners, including subcontractors, comply with all applicable legislation in each jurisdiction where it operates or where the Products are distributed, offered for sale and/or sold, including, without limitation, the European Union’s REACH Regulation and Packaging and Packaging Waste Regulation (PPWR), California’s Proposition 65, and other applicable government or regulatory requirements.

Capri retains the right to update the requirements in this PRSL regularly to meet applicable regulations and its own voluntary commitments regarding chemicals of concern. The Company’s intent is to give Suppliers ample lead-time to understand changes to this PRSL and to take steps to remain compliant. However, there may be circumstances, including in the case of forthcoming or new legislation, that result in short notice. **Upon publication of any update to this PRSL, all policies and test limits set forth in the most-updated version are considered effective unless otherwise expressly noted.** The most up-to-date version of this document can be found at <https://www.capriholdings.com/impact/esg-resources/default.aspx>.

HOW TO USE THIS PRSL

Chemical restrictions, testing methods and detection limits are organized by chemical class within this PRSL; publicly-available guidance sheets on most chemical classes are available at the links within the chemical class sections of this PRSL.

Please note, testing requirements vary by Capri brand; Suppliers may refer to the Company's Supply Chain Compliance Program Handbook or brand testing manuals for more information on testing requirements for Michael Kors and/or Jimmy Choo, including risk-based testing matrices, testing frequency, process for submitting testing, approved third-party laboratories, and requirements to maintain and store test records.

Please see the change log in the appendix for updates from prior PRSL versions.

For questions, please reach out to your relevant Brand Quality Assurance representative or your relevant production contact.

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT	
Acetophenone and 2-Phenyl-2-Propanol					
98-86-2	Acetophenone	50 ppm each	Extraction in acetone or methanol GC/MS, sonication for 30 minutes at 60 degrees C	25 ppm each	
617-94-7	2-Phenyl-2-Propanol				
729-43-1	Acetophenone Azine		Extraction in acetone or methanol GC/MS, sonication for 30 minutes at room temperature		
Acidic and Alkaline Substances					
N/A	pH value	Leather: 3.2-5.5 All materials except Leather: 4.0-7.5	Leather: EN ISO 4045:2018 All materials except Leather: EN ISO 3071:2020 or GB 18401: GB/T 7573 (China market)	N/A	
Alkylphenols (APs), Alkylphenol Ethoxylates (APEOs) including all isomers					
Various	Nonylphenol (NP), mixed isomers	Total APs: 10 ppm Total APs + APEOs: 100 ppm	Down (for China market): GB/T 23322-2018 for compliance with GB/T 14272-2021 All materials except Down for China market: EN ISO 21084:2019 Polymers and all other materials: 1 g sample/20 mL THF, sonication for 60 minutes at 70 degrees C, analysis according to EN ISO 21084:2019	Total of NP + OP: 3 ppm	
Various	Octylphenol (OP), mixed isomers				
Various	Nonylphenol ethoxylates (NPEOs)			Leather: Sample prep and analysis using EN ISO 18218-1:2023 with quantification according to EN ISO 18254-1:2016 Down (for China market): GB/T 23322-2018 for compliance with GB/T 14272-2021 All materials except Leather and Down for China market: EN ISO 18254-1:2016 with determination of APEO using LC/MS or LC/MS/MS, or GB 18401: GB/T 7573	Total of NPEOs + OPEOs: 20 ppm
Various	Octylphenol ethoxylates (OPEOs)				

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Azo-amines and Arylamine Salts				
92-67-1	4-Aminobiphenyl	20 ppm each	Leather: EN ISO 17234-1:2015, EN ISO 17234-1:2024, or GB 20400-2026 (China market) All materials except Leather: EN ISO 14362-1:2017 or GBT17592 4-aminoazobenzene confirmation GBT 23344 (China market) p-Aminoazobenzene: Leather: EN ISO 17234-2:2011 or GB/T 19942 4-aminoazobenzene confirmation GB/T 33392 (China market) All materials except Leather: EN ISO 14362-3:2017	5 ppm each
92-87-5	Benzidine			
95-69-2	4-Chloro-o-toluidine			
91-59-8	2-Naphthylamine			
97-56-3	o-Aminoazotoluene			
99-55-8	2-Amino-4-nitrotoluene			
106-47-8	p-Chloraniline			
615-05-4	2,4-Diaminoanisole			
101-77-9	4,4'-Diaminodiphenylmethane			
91-94-1	3,3'-Dichlorobenzidine			
119-90-4	3,3'-Dimethoxybenzidine			
119-93-7	3,3'-Dimethylbenzidine			
838-88-0	3,3'-dimethyl-4,4'-diaminodiphenylmethane			
120-71-8	p-Cresidine			
101-14-4	4,4'-Methylen-bis(2-chloraniline)			
101-80-4	4,4'-Oxydianiline			
139-65-1	4,4'-Thiodianiline			
95-53-4	o-Toluidine			
95-80-7	2,4-Toluenediamine			
137-17-7	2,4,5-Trimethylaniline			
95-68-1	2,4 Xylidine			
87-62-7	2,6 Xylidine			
90-04-0	2-Methoxyaniline (= o-Anisidine)			
60-09-3	p-Aminoazobenzene			
3165-93-3	4-Chloro-o-toluidinium chloride			
553-00-4	2-Naphthylammoniumacetate			
39156-41-7	4-Methoxy-m-phenylene diammonium sulphate			
21436-97-5	2,4,5-Trimethylaniline hydrochloride			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Bisphenols				
80-05-7	Bisphenol-A (BPA)	Leather: 200 ppm Textiles: 10 ppm Polycarbonate Materials: 100 ppm Receipt Paper: 1ppm	Leather: EN ISO 11936:2023 All materials except Leather: Extraction: 1 g sample/20 ml THF, sonication for 60 minutes at 60 degrees C, C, then add methanol or acetonitrile for precipitation prior to analysis with LC/MS	Leather: 10 ppm each All materials except leather: 0.1 ppm for individual samples 1 ppm for composite samples
80-09-1	Bisphenol-S (BPS)	Leather: 500 ppm All materials except Leather: 200 ppm Receipt Paper: 1ppm each		
77-40-7	Bisphenol B (BPB)			
620-92-8	Bisphenol F (BPF)			
Chlorinated Paraffins				
85535-84-8	Short-chain Chlorinated Paraffins (SCCPs) (C10-C13)	1000 ppm	Leather: ISO 18219-1:2021 (SCCP) ISO 18219-2:2021 (MCCP) GB/T 38405 (China market) All materials except Leather: ISO 22818:2021 (SCCP + MCCP)	100 ppm
85535-85-9	Medium-chain Chlorinated Paraffins (MCCPs) (C14-C17)			
Chlorophenols				
15950-66-0	2,3,4-Trichlorophenol (TriCP)	0.5 ppm each	Leather: ISO 17070 All materials except leather: EN 17134-2:2023, GB/T 22808 (China market)	0.5 ppm each
933-78-8	2,3,5-Trichlorophenol (TriCP)			
933-75-5	2,3,6-Trichlorophenol (TriCP)			
95-95-4	2,4,5-Trichlorophenol (TriCP)			
88-06-2	2,4,6-Trichlorophenol (TriCP)			
609-19-8	3,4,5-Trichlorophenol (TriCP)			
4901-51-3	2,3,4,5-Tetrachlorophenol (TeCP)			
58-90-2	2,3,4,6-Tetrachlorophenol (TeCP)			
935-95-5	2,3,5,6-Tetrachlorophenol (TeCP)			
87-86-5	Pentachlorophenol (PCP) and its salts and esters			
Capri PRL Version June 2026		CAPRI		7

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Chlorinated Benzenes and Toluenes				
95-49-8	2-Chlorotoluene	Total: 1 ppm	EN 17137:2018 or 2024	0.2 ppm each
108-41-8	3-Chlorotoluene			
106-43-4	4-Chlorotoluene			
32768-54-0	2,3-Dichlorotoluene			
95-73-8	2,4-Dichlorotoluene			
19398-61-9	2,5-Dichlorotoluene			
118-69-4	2,6-Dichlorotoluene			
95-75-0	3,4-Dichlorotoluene			
2077-46-5	2,3,6-Trichlorotoluene			
6639-30-1	2,4,5-Trichlorotoluene			
76057-12-0	2,3,4,5-Tetrachlorotoluene			
875-40-1	2,3,4,6-Tetrachlorotoluene			
1006-31-1	2,3,5,6-Tetrachlorotoluene			
877-11-2	Pentachlorotoluene			
541-73-1	1,3-Dichlorobenzene			
106-46-7	1,4-Dichlorobenzene			
87-61-6	1,2,3-Trichlorobenzene			
120-82-1	1,2,4-Trichlorobenzene			
108-70-3	1,3,5-Trichlorobenzene			
634-66-2	1,2,3,4-Tetrachlorobenzene			
634-90-2	1,2,3,5-Tetrachlorobenzene			
95-94-3	1,2,4,5-Tetrachlorobenzene			
608-93-5	Pentachlorobenzene			
118-74-1	Hexachlorobenzene			
5216-25-1	p-Chlorobenzotrichloride			
98-07-7	Benzotrichloride			
100-44-7	Benzyl Chloride			
95-50-1	1,2-Dichlorobenzene			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Cyclosiloxanes				
556-67-2	Octamethylcyclotetrasiloxane (D4)	1000 ppm each	Ultrasonic extraction with TBME or acetone for 30 min at 40°C then GC/MS	50 ppm each
541-02-6	Decamethylcyclopentasiloxane (D5)			
540-97-6	Dodecamethylcyclohexasiloxane (D6)			
Dimethylfumarate				
624-49-7	Dimethylfumarate (DMFu)	0.1 ppm	Leather & Packaging all material: ISO 16186:2021 All materials except leather: EN 17130:2019, GB/T 26713 (China market)	0.05 ppm
Dyes (Forbidden and Disperse)				
2475-45-8	C.I. Disperse Blue 1	30 ppm each	Fur and Leather: ISO 16373-2, GB/T 30398 (China market) All materials except fur and leather: DIN 54231:2022, ISO 16373-3	15 ppm each
2475-46-9	C.I. Disperse Blue 3			
3179-90-6	C.I. Disperse Blue 7			
3860-63-7	C.I. Disperse Blue 26			
56524-77-7	C.I. Disperse Blue 35A			
56524-76-6	C.I. Disperse Blue 35B			
12222-97-8	C.I. Disperse Blue 102			
12223-01-7	C.I. Disperse Blue 106			
61951-51-7	C.I. Disperse Blue 124			
23355-64-8	C.I. Disperse Brown 1			
2581-69-3	C.I. Disperse Orange 1			
730-40-5	C.I. Disperse Orange 3			
82-28-0	C.I. Disperse Orange 11			
12223-33-5	C.I. Disperse Orange 37/76/59			
13301-61-6				
51811-42-8				
85136-74-9	C.I. Disperse Orange 149			
2872-52-8	C.I. Disperse Red 1			
2872-48-2	C.I. Disperse Red 11			
3179-89-3	C.I. Disperse Red 17			
61968-47-6	C.I. Disperse Red 151			
119-15-3	C.I. Disperse Yellow 1			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Dyes (Forbidden and Disperse)				
2832-40-8	C.I. Disperse Yellow 3	30 ppm each	Fur and Leather: ISO 16373-2, GB/T 30398 (China market) All materials except fur and leather: DIN 54231:2022, ISO 16373-3	15 ppm each
6300-37-4	C.I. Disperse Yellow 7			
6373-73-5	C.I. Disperse Yellow 9			
6250-23-3	C.I. Disperse Yellow 23			
12236-29-2	C.I. Disperse Yellow 39			
54824-37-2	C.I. Disperse Yellow 49			
54077-16-6	C.I. Disperse Yellow 56			
3761-53-3	C.I. Acid Red 26			
569-61-9	C.I. Basic Red 9			
569-64-2	C.I. Basic Green 4			
2437-29-8				
10309-95-2				
548-62-9	C.I. Basic Violet 3			
632-99-5	C.I. Basic Violet 14			
2580-56-5	C.I. Basic Blue 26			
1937-37-7	C.I. Direct Black 38			
2602-46-2	C.I. Direct Blue 6			
573-58-0	C.I. Direct Red 28			
16071-86-6	C.I. Direct Brown 95			
60-11-7	4-Dimethylaminoazobenzene (Solvent Yellow 2)			
6786-83-0	C.I. Solvent Blue 4			
561-41-1	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol			
Dyes, Navy Blue				
118685-33-9	Component 1: C39H23ClCrN7O12S·2Na	30 ppm each	DIN 54231:2022	15 ppm each
Not allocated	Component 2: C46H30CrN10O20S2·3Na			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Brominated & Organophosphorus Substances (category formerly called Flame Retardants)				
84852-53-9	Decabromodiphenyl ethane (DBDPE)	10 ppm	EN ISO 17881-1:2016 GB/T 24279 (China market)	5 ppm each
32534-81-9	Pentabromodiphenyl ether (PentaBDE)			
13560-89-9	Dechlorane Plus			
32536-52-0	Octabromodiphenyl ether (OctaBDE)			
1163-19-5	Decabromodiphenyl ether (DecaBDE)			
Various	All other Polybrominated diphenyl ethers (PBDEs)			
79-94-7	Tetrabromobisphenol A (TBBP A)			
59536-65-1	Polybromobiphenyls (PBB)			
3194-55-6	Hexabromocyclododecane (HBCDD)			
3296-90-0	2,2-bis(bromomethyl)-1,3-propanediol (BBMP)			
13674-87-8	Tris(1,3-dichloro-isopropyl) phosphate (TDCPP)		EN ISO 17881-2:2016 GB/T 24279 (China market)	
25155-23-1	Trixylyl phosphate (TXP)			
126-72-7	Tris(2,3,-dibromopropyl) phosphate (TRIS)			
545-55-1	Tris(1-aziridinyl)phosphine oxide (TEPA)			
115-96-8	Tris(2-chloroethyl)phosphate (TCEP)			
5412-25-9	Bis(2,3-dibromopropyl) phosphate (BDBPP)			
68937-41-7	Phenol, isopropylated phosphate (3:1) (PIP (3:1))	500 ppm each	EN ISO 17881-2:2016 GB/T 24279 (China market)	50 ppm
115-86-6	Triphenyl phosphate (TPP)			
Fluorinated Greenhouse Gases				
Various	See Regulation (EU) 2024/573 for a complete list.	Prohibited from use	Sample preparation: Purge and trap — thermal desorption or SPME Measurement: GC/MS	0.1 ppm each
Formaldehyde				
50-00-0	Formaldehyde	Adults: 75 ppm Children: 16 ppm	Wood: EN 717-3:1996 Paper: DIN EN 645:1994 & EN 1541:2001 Leather: EN ISO 17226-1:2021; GB/T 19941 (China market) All materials except Leather: JIS L 1041-2011 A (Japan Law 112)	16 ppm
Capri PRSL Version June 2026		CAPRI HOLDINGS LIMITED		11

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Heavy Metals Extractable and Total Content (and Nickel)				
7440-36-0	Antimony (Sb)	Extractable: 30 ppm	Leather: EN ISO 17072-1:2019 All materials except Leather: EN 16711-2:2015	Extractable: 3 ppm
7440-38-2	Arsenic (As)	Extractable: 0.2 ppm Total: 100 ppm	Extractable: Leather: EN ISO 17072-1:2019 All materials except Leather: EN 16711-2:2015 Total: Leather: EN ISO 17072-2:2022 All materials except Leather: EN 16711-1:2015, GB 28480 (China market)	Extractable: 0.1 ppm Total: 10 ppm
7440-39-3	Barium (Ba)	Extractable: 1000 ppm	Leather: EN ISO 17072-1:2019 All materials except Leather: EN 16711-2:2015	Extractable: 100 ppm
7440-43-9	Cadmium (Cd)	Extractable: 0.1 ppm Children: 40 ppm Adults: 75 ppm	Extractable: Metal Trims: CNS 4797-2 Leather: EN ISO 17072-1:2019 All materials except Metal Trims & Leather: EN 16711-2:2015 Total: All materials except Leather: EN 16711-1:2015 Leather: EN ISO 17072-2:2022	Extractable: 0.05 ppm Total: 5 ppm
7440-47-3	Chromium (Cr)	Extractable: Textiles: Babies: 1 ppm Adults and Children: 2 ppm	Leather: EN ISO 17072-1:2019 All materials except Leather: EN 16711-2:2015	Extractable: 0.5 ppm
18540-29-9	Chromium VI	Extractable: Leather: 3 ppm Textiles: 1 ppm	Leather: EN ISO 17075-1:2017 and EN ISO 17075-2:2017 for confirmation in case the extract causes interference. Alternatively, EN ISO 17075-2:2017 may be used on its own. GB/T 17593-3 (China market) Ageing test: ISO 10195:2018 Method A2. All materials except: EN 16711-2:2015 with EN ISO 17075-1:2017 if Cr is detected Packaging all other materials: IEC 62321-7-2:2017	Extractable: Leather: 3 ppm All materials except leather: 0.5 ppm
7440-48-4	Cobalt (Co)	Extractable: Adults: 4 ppm Children and babies: 1 ppm	Leather: EN ISO 17072-1:2019 All materials except Leather: EN 16711-2:2015	Extractable: 0.5 ppm

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Heavy Metals Extractable and Total Content (and Nickel)				
7440-50-8	Copper (Cu)	Extractable: Adults: 50 ppm Children and babies: 25 ppm Home textiles: 25 ppm	Leather: EN ISO 17072-1:2019 All materials except Leather: EN 16711-2:2015	Extractable: 5 ppm
7439-92-1	Lead (Pb)	Extractable: Adults: 1 ppm Children and babies: 0.2 ppm Total: 90 ppm	Extractable: Leather: EN ISO 17072-1:2019 All materials except Leather: EN 16711-2:2015 Total: Non-metal: CPSC-CH-E1002-08.3 Metal: CPSC-CH-E1001-08.3; GB/T 28021 (China market) Lead in paint and surface coatings: CPSC-CH-E1003-09.1	Extractable: 0.2 ppm Total: 10 ppm
7439-97-6	Mercury (Hg)	Extractable: 0.02 ppm Total: 0.5 ppm	Extractable: Leather: EN ISO 17072-1:2019 All materials except Leather: EN 16711-2:2015 Total: Leather: EN ISO 17072-2:2022; GB/T 28021 (China market) All materials except Leather: EN 16711-1:2015	Extractable: 0.02 ppm Total: 0.1 ppm
7440-02-0	Nickel (Ni)	Extractable: Adults and children: 1 ppm Infant: 1 ppm Prolonged skin contact (including eyewear frames): 0.5 µg/cm²/week Pierced part: 0.2 µg/cm²/week	Extractable: Leather: EN ISO 17072-1:2019 All materials except Leather: EN 16711-2:2015 Release: EN 12472:2020 and EN 1811:2023; GB/T 28485/GBT 19719 (China market) Release (eyewear frames): EN 16128:2025	Extractable: 0.1 ppm Release: 0.5 µg/cm²/week
7782-49-2	Selenium (Se)	Extractable: 100 ppm	Leather: EN ISO 17072-1:2019 All materials except Leather: EN 16711-2:2015	Extractable: 50 ppm
Various	Sum of Lead (Pb), Cadmium (Cd), Mercury (Hg), and Hexavalent Chromium (Cr VI)	Packaging: Total: 100 ppm	Packaging: DIN EN 16711-1 or equivalent for Pb, Cd and Hg Specific determination method for Cr(VI)	Cd: 5 ppm - Pb: 10 ppm Hg: 5 ppm - Cr VI 3 ppm
Monomers				
100-42-5	Styrene, Free	500 ppm	Extraction in Methanol GC/MS, sonication at 60 degrees C for 60 minutes	50 ppm
75-01-4	Vinyl Chloride	1 ppm	EN ISO 6401:2022; GB/T 4615 (China market)	1 ppm

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
N-Nitrosamines				
62-75-9	N-nitrosodimethylamine (NDMA)	0.5 ppm each	EN ISO 19577:2019, with LC/MS/MS verification if positive. Alternatively, LC/MS/MS may be performed on its own. EN ISO 19577:2019 GB/T 24153 (China market)	0.5 ppm each
55-18-5	N-nitrosodiethylamine (NDEA)			
621-64-7	N-nitrosodipropylamine (NDPA)			
924-16-3	N-nitrosodibutylamine (NDBA)			
100-75-4	N-nitrosopiperidine (NPIP)			
930-55-2	N-nitrosopyrrolidine (NPYR)			
59-89-2	N-nitrosomorpholine (NMOR)			
614-00-6	N-nitroso N-methyl N-phenylamine (NMPHA)			
612-64-6	N-nitroso N-ethyl N-phenylamine (NEPHA)			
Organotin Compounds				
Various	Dibutyltin (DBT)	1.0 ppm each	Textiles: EN ISO 22744-1:2020; ISO 16179:2025	0.1 ppm each
Various	Dioctyltin (DOT)			
Various	Monobutyltin (MBT)			
Various	Tricyclohexyltin (TCyHT)			
Various	Trimethyltin (TMT)			
Various	Trioctyltin (TOT)			
Various	Monooctyltin (MOT)			
Various	Tripropyltin (TPT)			
16408-14-3	Dimethyltin (DMT)	1.0 ppm each		
1461-25-2	Tetrabutyltin			
597-64-8	Tetraethyltin (TeET)			
16408-15-4	Monomethyltin (MMT)			
Various	Tributyltin (TBT)	Children & Packaging: 0.5 ppm each Adults: 1 ppm each		
Various	Triphenyltin (TPhT)			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Ortho-phenylphenol				
90-43-7	Ortho-phenylphenol (OPP)	1000 ppm	Leather: ISO 13365-1 All materials except leather: EN 17134-2:2023	100 ppm
Ozone-depleting Substances				
Various	See Regulation (EC) No 2024/590 for a complete list.	5 ppm	All materials: GC/MS headspace 120 degrees C for 45 minutes	5 ppm
Perfluorinated and Polyfluorinated Chemicals (PFAS)				
<i>Please note that effective January 1, 2024, all Capri products entering the market must not contain intentionally added PFAS' chemistries.</i>				
Various	All PFAS as measured by total organic fluorine (TF)	50 ppm	Leather: ISO 13365-1:2020 All materials except leather: EN 14582:2016, ASTM D7359:2023, EN 17813 (CIC method), or ISO 20999:2026	20 ppm for individual sample. 50 ppm for maximum composite sample
Various	Perfluorooctane Sulfonate (PFOS) and its salts (excluding polymers)	25 ppb total	Leather: EN ISO 23702-1:2023; ISO:20999 Polymers: EN ISO 23702-1:2023 using THF extraction followed by methanol precipitation (1:1) All materials except leather and polymers: EN 17681-1:2025 alkaline hydrolysis	25 ppb total
Various	Perfluorooctanoic Acid (PFOA) and its salts (excluding polymers)	25 ppb total		25 ppb total
Various	PFOS- and PFOA-related substances	1000 ppb total		1000 ppb total
Various	C9-C14 Linear and branched perfluorocarboxylic acids (PFCA), including their salts and related substances	25 ppb (Sum of C9-C14 PFCA and their salts) 260 ppb (Sum of C9-C14 PFCA-related substances)		25 ppb total for PFCAs and their salts; 260 ppb for PFCA-related substances
Various	Perfluorohexanesulfonic acid (PFHxS) and its salts and related compounds.	25 ppb (PFHxS and its salts) 1000 ppb (sum of PFHxS-related substances)		25ppb total for Perfluorohexane-1-sulphonic acid (PFHxS) and its salts; 1000 ppb for related substances
Various	PFHxA, its salts, and related substances	<25 ppb (sum of PFHxA and its salts) 1000 ppb (sum of PFHxA-related substances)		25 ppb total for PFHxA and its salts; 1000 ppb for PFHxA-related substances
Pesticides and Herbicides, Agricultural				
Various	See Appendix for a complete list.	0.5 ppm each	All materials: ISO 15913/DIN 38407 F2 or EPA 8081/EPA 8151A or BVL L 00.00-34:2010-09	0.5 ppm each .01 ppm for methoxychlor

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Phthalates				
28553-12-0	Di-Iso-nonylphthalate (DINP)	500 ppm each Total: 1000 ppm	Sample preparation for all materials: CPSC-CH-C1001-09.4 Measurement: Textiles: GC/MS, EN ISO 14389:2014 (7.1 Calculation based on weight of print only; 7.2 Calculation based on weight of print and textile if print cannot be removed). All materials except textiles: GC/MS	50 ppm each
117-84-0	Di-n-octylphthalate (DNOP)			
117-81-7	Di(2-ethylhexyl)-phthalate (DEHP)			
26761-40-0	Diisodecylphthalate (DIDP)			
85-68-7	Butylbenzylphthalate (BBP)			
84-74-2	Dibutylphthalate (DBP)			
84-69-5	Diisobutylphthalate (DIBP)			
84-75-3	Di-n-hexylphthalate (DnHP)			
84-66-2	Diethylphthalate (DEP)			
131-11-3	Dimethylphthalate (DMP)			
131-18-0	Di-n-pentyl phthalate (DPENP)			
84-61-7	Dicyclohexyl phthalate (DCHP)			
71888-89-6	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich			
117-82-8	Bis(2-methoxyethyl) phthalate			
605-50-5	Diisopentyl phthalate (DIPP)			
131-16-8	Dipropyl phthalate (DPRP)			
27554-26-3	Diisooctyl phthalate (DIOP)			
68515-50-4	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear			
71850-09-4	Diisohexyl phthalate (DIHxP)			
68515-42-4	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)			
84777-06-0	1,2-Benzenedicarboxylic acid Dipentyl ester, branched and linear			
68648-93-1	1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters or mixed decyl and hexyl and octyl diesters with ³ 0.3% of dihexyl phthalate; 1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters; 1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters			
68515-51-5				
776297-69-9	n-Pentyl-isopentylphthalate (nPIPP)			
26040-51-7	Bis(2-ethylhexyl) tetrabromophthalate (TBPH)			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Polycyclic Aromatic Hydrocarbons (PAHs)				
83-32-9	Acenaphthene	No individual restriction; Total PAHS: 10 ppm	AFPS GS 2019 or EN 17132:2019 or ISO 16190:2021	0.2 ppm each
208-96-8	Acenaphthylene			
120-12-7	Anthracene			
191-24-2	Benzo(g,h,i)perylene			
86-73-7	Fluorene			
206-44-0	Fluoranthene			
193-39-5	Indeno(1,2,3-cd)pyrene			
91-20-3	Naphthalene			
85-01-8	Phenanthrene			
129-00-0	Pyrene			
56-55-3	Benzo(a)anthracene	Total PAHS: 10 ppm Individual restriction adults: 1 ppm Children: 0.5 ppm	AFPS GS 2019 or EN 17132:2019 or ISO 16190:2021	0.2 ppm each
50-32-8	Benzo(a)pyrene			
205-99-2	Benzo(b)fluoranthene			
192-97-2	Benzo[e]pyrene			
205-82-3	Benzo[j]fluoranthene			
207-08-9	Benzo(k)fluoranthene			
218-01-9	Chrysene			
53-70-3	Dibenzo(a,h)anthracene			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Quinoline				
91-22-5	Quinoline	50 ppm	DIN 54231:2022 with methanol extraction at 70 degrees C; ISO13144:2025	10 ppm
Solvents and Residuals				
68-12-2	Dimethylformamide (DMFa)	500 ppm	Textiles: EN 17131:2025 All materials except textiles: DIN CEN ISO/TS 16189:2021	50 ppm each
75-12-7	Formamide	1000 ppm		
127-19-5	Dimethylacetamide (DMAC)			
872-50-4	N-Methyl-2-pyrrolidone (NMP)			
UV Absorbers / Stabilizers				
3846-71-7	UV 320	1000 ppm each	ISO 24040:2022 (Extraction in THF, analysis by GC/MS) Note: Stabilized THF should be used for extraction	50 ppm each
3896-11-5	UV 326			
3864-99-1	UV 327			
25973-55-1	UV 329			
36437-37-3	UV 350			
25973-55-1	UV 328	100 ppm		

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Volatile Organic Compounds (VOCs)				
71-43-2	Benzene	5 ppm	EN 17131-2:2025 (Benzene) For general VOC screening: GC/MS headspace 45 minutes at 120 degrees C or EN 17131-2:2025 PVC: GB 21550 Clause 5.5	Benzene: 5 ppm Other: 20 ppm each
75-15-0	Carbon Disulfide	Total: 1000 ppm For PVC: 20 ppm		
56-23-5	Carbon Tetrachloride			
67-66-3	Chloroform			
108-94-1	Cyclohexanone			
107-06-2	1,2-Dichloroethane			
75-35-4	1,1-Dichloroethylene			
100-41-4	Ethylbenzene			
76-01-7	Pentachloroethane			
630-20-6	1,1,1,2- Tetrachloroethane			
79-34-5	1,1,2,2- Tetrachloroethane			
127-18-4	Tetrachloroethylene (PERC)			
108-88-3	Toluene			
71-55-6	1,1,1- Trichloroethane			
79-00-5	1,1,2- Trichloroethane			
79-01-6	Trichloroethylene			
1330-20-7	Xylenes (meta-, ortho-, para-)			
108-38-3				
95-47-6				
106-42-3				
96-18-4	1,2,3-trichloropropane	Limit 1000 ppm total.		
78-87-5	1,2,Dichloropropane			
111-15-9	2-Ethoxyethyl acetate			
149-57-5	2-Ethylhexane acid			
62-53-3	Aniline			
111-96-6	Bis(2-methoxyethyl)ether			
78-59-1	Isophorone			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Volatile Organic Compounds (VOCs)				
108-95-2	Phenol	Limit 1000 ppm total.	For general VOC screening: GC/MS headspace 45 minutes at 120 degrees C PVC: GB 21550 Clause 5.5	20 ppm each
109-99-9	THF			
106-94-5	1-bromopropane			
70657-70-4	1-PG2MEA 1-Propanol,2-methoxy-, acetate)			
111-77-3	2-(2-Methoxyethoxy)ethanol			
584-84-9	2,4-toluene diisocyanate			
110-80-5	2-ethoxyethanol			
	2-Methoxyethanol			
109-86-4	EGME (ethylene glycol monomethyl ether)			
1589-47-5	2-Methoxypropan-1-ol			
110-71-4	EGDME (Ethylene glycol dimethyl ether			
110-49-6	EGMEA (Ethylene glycol monomethyl ether acetate)			
67-72-1	Hexachloroethane			
75-09-2	Methylene chloride (dichloromethane)			
110-54-3	n-hexane			
112-49-2	TEGDME (Triethylene glycol dimethyl ether)			

APPENDIX

Change Log

Terms and Definitions

Common Per and Polyfluorinated Substances

Pesticides and Herbicides

APPENDIX – CHANGE LOG

CHEMICAL CLASS	UPDATE	Version	PAGE
Acetophenone Azine	Added to Capri PRSL with a 50 ppm limit. Includes separate test method.	June 2026	5
Azo-amines and Arylamine Salts	Updated testing method for leather	March 2025	6
Bisphenols	Added Bisphenol-S (BPS)- new chemical limit for 2025	March 2025	7
Bisphenols	- Added Bisphenol-B and Bisphenol-F to RSL. - Reduced limit for Bisphenol-S (BPS) in leather to 500 ppm each. - Reduced limit for all bisphenols in other materials to 200 ppm. - Added limits for all bisphenols in receipt paper to 1 ppm	June 2026	7
Chlorinated Benzenes and Toluenes	Added test method to include latest version	March 2025	8
Cyclosiloxanes	New chemical limit for 2025	March 2025	9
Cyclosiloxanes	Updated test method to ultrasonic extraction with TBME or acetone for 30 min at 40 C then GC/MS	June 2026	9
Dimethylfumarate	Updated test method to reflect applicability for packaging materials		
Brominated & Organophosphorous Substances (formerly Flame Retardants)	Added Phenol, isopropylated phosphate (3:1) (PIP (3:1)) and Triphenyl phosphate (TPP)- new chemical limit for 2025	March 2025	11
Definitions	Added Definition of “Sample” and “Composite Sample”	June 2026	23
Fluorinated Greenhouse Gases	Updated regulation reference for substance list	March 2025	11
Formaldehyde	Added test method for wood and paper	June 2026	11
Heavy Metals (non-jewelry)	- Updated total content method for leather to EN ISO 17072-2:2022 for several metals. - Changed extraction method for leather from DIN EN ISO 17072-1:2019 to EN ISO 17072-1:2019 for method reference consistency - Changed method for all other materials from DIN EN 16711:2016 to EN 16711:2015 for parts 1 & 2 for method reference consistency - Updated method EN 16128:2015 for nickel release (eyewear frames) to 2025 version. - Added method for testing packaging materials	June 2026	12

APPENDIX – CHANGE LOG

CHEMICAL CLASS	UPDATE	Version	PAGE
Chromium VI	- Updated textile limit to 0.5 ppm - Added test method for packaging materials	March 2025	12
Copper (Cu)	Added limit specific to home textiles	March 2025	13
Nickel (Ni)	Updated adult limit	March 2025	13
Selenium (Se)	Updated extractable limit	March 2025	13
Various	Updated to reflect PPWR limit for sum of Lead (Pb), Cadmium (Cd), Mercury (Hg), and Hexavalent Chromium (Cr VI)	June 2026	13
N-Nitrosamines	Updated test method	March 2025	14
Organotin Compounds	Added Dimthyltin (DMT), Tetrabutyltin, Tetraethyltin (TeET), Monomethyltin (MMT)- new chemical limit for 2025	March 2025	14
Organotin Compounds	Updated test method to ISO 16179:2025	June 2026	14
Ozone Depleting Substances	Updated regulation reference	March 2025	15
Perfluorinated and Polyfluorinated Chemicals (PFAS)	Added limit for PFHxA; updated reporting limit for total organic fluorine	March 2025	15
Pesticides and Herbicides, Agricultural	Added limit for methoxychlor (15)	June 2026	15
PFAS	Added important note regarding the Decree imposing new PFAS limits in France, which entered into force 1 January 2026 with exemptions for secondhand and recycled goods as well as some highly specialized products	June 2026	15

APPENDIX – CHANGE LOG

CHEMICAL CLASS	UPDATE	Version	PAGE
Quinoline	Updated test method	March 2025	18
Dimethylformamide (DMFa)	Updated limit and test method	March 2025	18
Solvents & Residuals	Updated test method for textiles to EN 17131-1:2025	June 2026	18
UV Absorbers / Stabilizers	Added UV 326- new chemical limit for 2025; updated test method	March 2025	18
UV Absorbers / Stabilizers	Lowered reporting limit to 50 ppm for entire category	June 2026	18
Cas No. 25973-55-1, UV 328	Added important clarification regarding stabilized THF used for extraction	June 2026	18
Volatile Organic Compounds (VOCs)	Added additional VOCs for informational testing only	March 2025	19-20

APPENDIX – TERMS AND DEFINITIONS

TERM	DEFINITION
Adult	Refers to products intended for use by adults ages 14 years or older
Babies or Infant	Refers to products intended for infants ages 0-36 months
CAS Number	Unique numerical identifiers assigned by Chemical Abstracts Service to every chemical substance
Children	Refers to products intended for children ages 36 months- 14 years
Composite Sample	Combinations of two or more samples that may be tested together with a corresponding higher PQL and reporting limit.
Reporting Limit	Reporting limits are values at or above the method Practical Quantification Limit (PQL). The PQL represents the lowest level at which accurate, precise, and robust data can be reported for test methods indicated
ppm	“Part per million” or ppm is equivalent to mg/kg
Sample	Product component or piece of a product component that can be tested by utilizing the recommended test methods

APPENDIX – COMMON PER AND POLYFLUOROALKYL SUBSTANCES (PFAS)

CAS NUMBER	PFAS NAME
PFOS and Related Substances	
1763-23-1	Perfluorooctanesulfonic acid (PFOS)
2795-39-3	Perfluorooctanesulfonic acid, potassium salt
29457-72-5	Perfluorooctanesulfonic acid, lithium salt
29081-56-9	Perfluorooctanesulfonic acid , ammonium salt
70225-14-8	Perfluorooctane sulfonate diethanolamine salt
56773-42-3	Perfluorooctanesulfonic acid, tetraethylammonium salt
251099-16-8	Didecyldimethyl ammonium perfluorooctane sulfonate
4151-50-2	N-Ethylperfluoro-1-octanesulfonamide
31506-32-8	N-Methylperfluoro-1-octanesulfonamide
1691-99-2	2-(N-Ethylperfluoro-1-octanesulfonamide)-ethanol
24448-09-7	2-(N-Methylperfluoro-1-octanesulfonamide)-ethanol
307-35-7	Perfluoro-1-octanesulfonyl fluoride
754-91-6	Perfluorooctane sulfonamide
PFOA and Its Salts	
335-67-1	Perfluorooctanoic acid (PFOA)
335-95-5	Sodium perfluorooctanoate
2395-00-8	Potassium perfluorooctanoate
335-93-3	Silver perfluorooctanoate
335-66-0	Perfluorooctanoyl fluoride
3825-26-1	Ammonium pentadecafluorooctanoate
PFOA-related Substances	
39108-34-4	1H,1H,2H,2H-Perfluorodecanesulfonic acid
376-27-2	Methyl perfluorooctanoate
318-24-5	Ethyl perfluorooctanoate
678-39-7	Perfluorocylethanol
27905-45-9	1H,1H,2H,2H-Perfluorodecyl acrylate
1996-88-9	1H,1H,2H,2H-Perfluorodecyl methacrylate
27854-31-5	2H,2H-Perfluorodecanoic acid

CAS NUMBER	PFAS NAME
PFHxS and Its Salts	
355-46-4	Perfluorohexane Sulfonic acid
3871-99-6	Perfluorohexane Sulfonic acid, potassium salt
55120-77-6	Perfluorohexane Sulfonic acid, lithium salt
68259-08-5	Perfluorohexane Sulfonic acid, ammonium salt
82382-12-5	Perfluorohexane Sulfonic acid, sodium salt
PFHxS-related Substances	
68259-15-4	N-Methylperfluoro-1-hexasulfonamide
41997-13-1	Perfluorohexane sulfonamide
C9-C14 PFCAs and Their Salts	
375-95-1	Perfluorononanoic acid
335-76-2	Perfluorodecanoic acid
2058-94-8	Perfluoroundecanoic acid
307-55-1	Perfluorododecanoic acid
72629-94-8	Perfluorotridecanoic acid
376-06-7	Perfluorotetradecanoic acid
172155-07-6	Perfluoro-3-7-dimethyloctanecarboxylate
C9-C14 PFCA-related substances	
17741-60-5	1H,1H,2H,2H Perfluorododecyl acrylate
2144-54-9	1H,1H,2H,2H Perfluorododecyl methacrylate
865-86-1	1H,1H,2H,2H Perfluorododecanol
34598-33-9	2H,2H,3H,3H Perfluoroundecanoic acid
678-39-7	Perfluorocylethanol
39239-77-5	1H,1H,2H,2H-perfluorotetradecan-1-ol
120226-60-0	1H,1H,2H,2H-Perfluorododecanesulphonic acid
2043-54-1	1H,1H,2H,2H-Perfluorododecyl iodide
30046-31-2	1H,1H,2H,2H-Perfluorotetradecyl iodide
Other Perfluoroalkyl Carboxylic Acids (PFCAs)	
307-24-4	Perfulorohexanoic Acid

APPENDIX – PESTICIDES AND HERBICIDES, AGRICULTURAL

CAS NUMBER	PESTICIDE NAME
93-72-1	2-propionic acid, its salts and compounds; 2,4,5-TP
93-76-5	2,4,5-T
94-75-7	2,4-D
309-00-2	Aldrine
86-50-0	Azinophosmethyl
2642-71-9	Azinophosethyl
4824-78-6	Bromophos-ethyl
6/1/2425	Captafol
63-25-2	Carbaryl
510-15-6	Chlorbenzilate
57-74-9	Chlordimeform
6164-98-3	Chlorfenvinphos
470-90-6	Chlorthalonil
1897-45-6	Coumaphos
56-72-4	Cyfluthrin
68359-37-5	Cyhalothrin
91465-08-6	Cypermethrin
52315-07-8	S,S,S-Tributyl phosphotriothioate
76-48-8	Deltamethrin
52918-63-5	DDD
53-19-0	
72-54-8	DDE
3424-82-6	
72-55-9	DDT
50-29-3	
789-02-6	Diazinone
333-41-5	Dichlofuanide
1085-98-9	Dichloroprop
120-36-5	Dicofol
115-32-2	Dicrotophos
141-66-2	Dieldrine
60-57-1	Dimethoate
60-51-5	Dinoseb, its salts and acetate
88-85-7	DTTB
63405-99-2	Endosulfan
115-29-7	Endosulfan I
959-98-8	Endosulfan II

CAS NUMBER	PESTICIDE NAME
33213-65-9	Endrine
72-20-8	Esfenvalerate
66230-04-4	Ethylendibromid
106-93-4	Ethylparathione; Parathion
56-38-2	Fenvalerate
51630-58-1	Halogenated naphthalenes, including polychlorinated naphthalenes
Various	Heptachlor
76-44-8	Heptachlorepoxyde
1024-57-3	a-Hexachlorocyclohexane with & without Lindane
319-85-7	b-Hexachlorocyclohexane with & without Lindane
319-86-8	g-Hexachlorocyclohexane with & without Lindane
118-74-1	Hexachlorobenzene
465-73-6	Isodrine
4234-79-1	Kelevane
143-50-0	Kepone
58-89-9	Lindane
121-75-5	Malathione
94-74-6	MCPA
94-81-5	MCPB
93-65-2	Mecoprop
10265-92-6	Metamidophos
72-43-5	Methoxylchlor
2385-85-5	Mirex
6923-22-4	Monocrotophos
298-00-0	Parathion-methyl
1825-21-4	Pentachloroanisole
7786-34-7	Phosdrin/Mevinphos
72-56-0	Perthane
31218-83-4	Propethamphos
41198-08-7	Profenophos
13593-03-8	Quinalphos
82-68-8	Quintozene
8001-50-1	Strobane
297-78-9	Telodrine
8001-35-2	Toxaphene
731-27-1	Tolylfuanide
1582-09-8	Trifluraline