



*PRODUCT
RESTRICTED
SUBSTANCES LIST*

AS OF MAY 23, 2025

TABLE OF CONTENTS

Introduction	Page 3
How to Use this PRSL	Page 4
Restricted Substances List	Page 5-20
Appendix	Page 21-25

INTRODUCTION

Capri Holdings Limited (together with its subsidiaries, the “Company” or “Capri”) takes its commitment to protect supply chain workers, customers, local manufacturing communities and the natural environment seriously. The Company expects its supply chain to use industry best practices to proactively manage chemicals, manufacturing Versace, Jimmy Choo and Michael Kors products in a safe manner while minimizing impacts on the environment. *More information on the Company’s holistic approach to chemical management can be found in its Supply Chain Compliance Handbook provided to suppliers, and in its annual Corporate Social Responsibility reporting made available at www.capriholdings.com/csr.*

To help ensure hazardous chemical impacts are effectively managed, Capri has adopted this Product Restricted Substances List (“PRSL” or “RSL”), which details the chemical restrictions applicable to any finished product or raw material supplied directly or indirectly to the Company. For the avoidance of doubt, this PRSL applies to apparel, accessories and footwear, including all components, trim and packaging related to the same for any Capri brand (collectively, “Products”).

Suppliers of any Product for any Capri brand (“Suppliers”) are expected to comply with the standards set out in this PRSL. It is the responsibility of Capri Suppliers to share this PRSL with its own supply chain partners, including subcontractors, and ensure its partners comply with the standards set forth herein. Capri may verify compliance with the standards set forth in this RSL through testing and analysis at independent laboratories.

This PRSL does not affect a Supplier’s responsibility to comply with all relevant legal requirements, including those related to environmental and product safety. It remains the responsibility of each Supplier to comply, and ensure its supply chain partners comply including subcontractors, with all applicable legislation in each jurisdiction where it operates or where the Products are distributed, offered for sale and/or sold, including, without limitation, the European Union’s REACH Regulation, California’s Proposition 65, and other in-country requirements.

Capri retains the right to update the requirements in this PRSL regularly to meet global regulations and its own voluntary commitments regarding chemicals of concern. The Company's intent is to give Suppliers ample lead-time to understand changes to this RSL and to take steps to remain compliant. However, there may be circumstances, including in the case of forthcoming or new legislation, that result in short notice. **Upon publication of any update to this PRSL, all policies and test limits set forth in the most-updated version are considered effective unless otherwise expressly noted.** The most up-to-date version of this document can be found at www.capriholdings.com/csr.

HOW TO USE THIS PRSL

Chemical restrictions, testing methods and detection limits are organized by chemical class within this PRSL; publicly-available guidance sheets on most chemical classes are available at the links within the chemical class sections of this PRSL. Please see the change log in the appendix for updates.

Please note, testing requirements vary by Capri brand; Suppliers may refer to the Company's Supply Chain Compliance Program Handbook or brand testing manuals for more information on testing requirements for Versace, Jimmy Choo and/or Michael Kors, including risk-based testing matrices, testing frequency, process for submitting testing, approved 3rd party laboratories, and requirements to maintain and store test records.

For questions, please reach out to your relevant Brand QA representative or the Capri CSR team at CSR@capriholdings.com.

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
<u>Acetophenone and 2-Phenyl-2-Propanol</u>				
98-86-2	Acetophenone	50 ppm each	Extraction in acetone or methanol GC/MS, sonication for 30 minutes and 60 degrees C	25 ppm each
617-94-7	2-Phenyl-2-Propanol			
Acidic and Alkaline Substances				
N/A	pH value	Textiles: 4.0-7.5 Leather: 3.2-5.5	Textiles and Artificial Leather: EN ISO 3071:2020 Leather: EN ISO 4045:2018	N/A
<u>Alkylphenols (APs), Alkylphenol Ethoxylates (APEOs) including all isomers</u>				
Various	Nonylphenol (NP), mixed isomers	Total APs: 10 ppm Total APs + APEOs: 100 ppm	Textiles and Leather: EN ISO 21084:2019 Polymers and all other materials: 1 g sample/20 mL THF, sonication for 60 minutes at 70 degrees C, analysis according to EN ISO 21084:2019 Down (for China market): GB/T 23322-2018 for compliance with GB/T 14272-2021	Total of NP + OP: 3 ppm
Various	Octylphenol (OP), mixed isomers			
Various	Nonylphenol ethoxylates (NPEOs)		All materials except Leather: EN ISO 18254-1:2016 with determination of APEO using LC/MS or LC/MS/MS Leather: Sample prep and analysis using EN ISO 18218-1:2023 with quantification according to EN ISO 18254-1:2016 Down (for China market): GB/T 23322-2018 for compliance with GB/T 14272-2021	Total of NPEOs + OPEOs: 20 ppm
Various	Octylphenol ethoxylates (OPEOs)			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
<u>Azo-amines and Arylamine Salts</u>				
92-67-1	4-Aminobiphenyl	20 ppm each	All materials except Leather: EN ISO 14362-1:2017 Leather: EN ISO 17234-1:2015 or EN ISO 17234-1:2024 p-Aminoazobenzene: All materials except Leather: EN ISO 14362-3:2017 Leather: EN ISO 17234-2:2011	5 ppm each
92-87-5	Benzidine			
95-69-2	4-Chloro-o-toluidine			
91-59-8	2-Naphthylamine			
97-56-3	o-Aminoazotoluene			
99-55-8	2-Amino-4-nitrotoluene			
106-47-8	p-Chloraniline			
615-05-4	2,4-Diaminoanisole			
101-77-9	4,4'-Diaminodiphenylmethane			
91-94-1	3,3'-Dichlorobenzidine			
119-90-4	3,3'-Dimethoxybenzidine			
119-93-7	3,3'-Dimethylbenzidine			
838-88-0	3,3'-dimethyl-4,4'-diaminodiphenylmethane			
120-71-8	p-Cresidine			
101-14-4	4,4'-Methylen-bis(2-chloraniline)			
101-80-4	4,4'-Oxydianiline			
139-65-1	4,4'-Thiodianiline			
95-53-4	o-Toluidine			
95-80-7	2,4-Toluenediamine			
137-17-7	2,4,5-Trimethylaniline			
95-68-1	2,4 Xylidine			
87-62-7	2,6 Xylidine			
90-04-0	2-Methoxyaniline (= o-Anisidine)			
60-09-3	p-Aminoazobenzene			
3165-93-3	4-Chloro-o-toluidinium chloride			
553-00-4	2-Naphthylammoniumacetate			
39156-41-7	4-Methoxy-m-phenylene diammonium sulphate			
21436-97-5	2,4,5-Trimethylaniline hydrochloride			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Bisphenols				
80-05-7	Bisphenol-A (BPA)	1 ppm	All materials: Extraction: 1 g sample/20 ml THF, sonication for 60 minutes at 60 degrees C, C, then add methanol or acetonitrile for precipitation prior to analysis with LC/MS Leather: EN ISO 11936:2023	Leather: 10 ppm each
80-09-1	Bisphenol-S (BPS)	Textiles: 200 ppm Leather: 800 ppm All other: 1000 ppm		All other materials: 0.1 ppm for individual samples 1 ppm for composite samples
Chlorinated Paraffins				
85535-84-8	Short-chain Chlorinated Paraffins (SCCPs) (C10-C13)	1000 ppm	Leather: ISO 18219-1:2021 (SCCP) ISO 18219-2:2021 (MCCP) Textiles: ISO 22818:2021 (SCCP + MCCP)	100 ppm
85535-85-9	Medium-chain Chlorinated Paraffins (MCCPs) (C14-C17)	1000 ppm		100 ppm
Chlorophenols				
15950-66-0	2,3,4-Trichlorophenol (TriCP)	For testing only.	All materials: EN 17134-2:2023	0.5 ppm each
933-78-8	2,3,5-Trichlorophenol (TriCP)			
933-75-5	2,3,6-Trichlorophenol (TriCP)			
95-95-4	2,4,5-Trichlorophenol (TriCP)			
88-06-2	2,4,6-Trichlorophenol (TriCP)			
609-19-8	3,4,5-Trichlorophenol (TriCP)			
4901-51-3	2,3,4,5-Tetrachlorophenol (TeCP)	0.5 ppm each		
58-90-2	2,3,4,6-Tetrachlorophenol (TeCP)			
935-95-5	2,3,5,6-Tetrachlorophenol (TeCP)			
87-86-5	Pentachlorophenol (PCP) and its salts and esters			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
<u>Chlorinated Benzenes and Toluenes</u>				
95-49-8	2-Chlorotoluene	Total: 1 ppm	All materials: EN 17137:2018 or 2024	0.2 ppm each
108-41-8	3-Chlorotoluene			
106-43-4	4-Chlorotoluene			
32768-54-0	2,3-Dichlorotoluene			
95-73-8	2,4-Dichlorotoluene			
19398-61-9	2,5-Dichlorotoluene			
118-69-4	2,6-Dichlorotoluene			
95-75-0	3,4-Dichlorotoluene			
2077-46-5	2,3,6-Trichlorotoluene			
6639-30-1	2,4,5-Trichlorotoluene			
76057-12-0	2,3,4,5-Tetrachlorotoluene			
875-40-1	2,3,4,6-Tetrachlorotoluene			
1006-31-1	2,3,5,6-Tetrachlorotoluene			
877-11-2	Pentachlorotoluene			
541-73-1	1,3-Dichlorobenzene			
106-46-7	1,4-Dichlorobenzene			
87-61-6	1,2,3-Trichlorobenzene			
120-82-1	1,2,4-Trichlorobenzene			
108-70-3	1,3,5-Trichlorobenzene			
634-66-2	1,2,3,4-Tetrachlorobenzene			
634-90-2	1,2,3,5-Tetrachlorobenzene			
95-94-3	1,2,4,5-Tetrachlorobenzene			
608-93-5	Pentachlorobenzene			
118-74-1	Hexachlorobenzene			
5216-25-1	p-Chlorobenzotrichloride			
98-07-7	Benzotrichloride			
100-44-7	Benzyl Chloride			
95-50-1	1,2-Dichlorobenzene			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Cyclosiloxanes				
556-67-2	Octamethylcyclotetrasiloxane (D4)	1000 ppm each	All materials: Ultrasonic extraction with nonchlorinated organic solvent for 30 min at 40°C then GC/MS	50 ppm each
541-02-6	Decamethylcyclopentasiloxane (D5)			
540-97-6	Dodecamethylcyclohexasiloxane (D6)			
Dimethylfumarate				
624-49-7	Dimethylfumarate (DMFu)	0.1 ppm	All materials: ISO 16186:2021	0.05 ppm
Dyes (Forbidden and Disperse)				
2475-45-8	C.I. Disperse Blue 1	30 ppm each	All materials: DIN 54231:2022	15 ppm each
2475-46-9	C.I. Disperse Blue 3			
3179-90-6	C.I. Disperse Blue 7			
3860-63-7	C.I. Disperse Blue 26			
56524-77-7	C.I. Disperse Blue 35A			
56524-76-6	C.I. Disperse Blue 35B			
12222-97-8	C.I. Disperse Blue 102			
12223-01-7	C.I. Disperse Blue 106			
61951-51-7	C.I. Disperse Blue 124			
23355-64-8	C.I. Disperse Brown 1			
2581-69-3	C.I. Disperse Orange 1			
730-40-5	C.I. Disperse Orange 3			
82-28-0	C.I. Disperse Orange 11			
12223-33-5	C.I. Disperse Orange 37/76/59			
13301-61-6				
51811-42-8				
85136-74-9	C.I. Disperse Orange 149			
2872-52-8	C.I. Disperse Red 1			
2872-48-2	C.I. Disperse Red 11			
3179-89-3	C.I. Disperse Red 17			
61968-47-6	C.I. Disperse Red 151			
119-15-3	C.I. Disperse Yellow 1			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Dyes (<u>Forbidden</u> and <u>Disperse</u>)				
2832-40-8	C.I. Disperse Yellow 3	30 ppm each	All materials: DIN 54231:2022	15 ppm each
6300-37-4	C.I. Disperse Yellow 7			
6373-73-5	C.I. Disperse Yellow 9			
6250-23-3	C.I. Disperse Yellow 23			
12236-29-2	C.I. Disperse Yellow 39			
54824-37-2	C.I. Disperse Yellow 49			
54077-16-6	C.I. Disperse Yellow 56			
3761-53-3	C.I. Acid Red 26			
569-61-9	C.I. Basic Red 9			
569-64-2	C.I. Basic Green 4			
2437-29-8				
10309-95-2				
548-62-9				
632-99-5	C.I. Basic Violet 14			
2580-56-5	C.I. Basic Blue 26			
1937-37-7	C.I. Direct Black 38			
2602-46-2	C.I. Direct Blue 6			
573-58-0	C.I. Direct Red 28			
16071-86-6	C.I. Direct Brown 95			
60-11-7	4-Dimethylaminoazobenzene (Solvent Yellow 2)			
6786-83-0	C.I. Solvent Blue 4			
561-41-1	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol			
Dyes, Navy Blue				
118685-33-9	Component 1: C39H23ClCrN7O12S2Na	30 ppm each	All materials: DIN 54231:2022	15 ppm each
Not allocated	Component 2: C46H30CrN10O20S23Na			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Brominated & Organophosphorous Substances (category formerly called Flame Retardants)				
84852-53-9	Decabromodiphenyl ethane (DBDPE)	Non-detect (5 ppm)	All materials: EN ISO 17881-1:2016	5 ppm each
32534-81-9	Pentabromodiphenyl ether (PentaBDE)			
32536-52-0	Octabromodiphenyl ether (OctaBDE)			
1163-19-5	Decabromodiphenyl ether (DecaBDE)			
Various	All other Polybrominated diphenyl ethers (PBDEs)			
79-94-7	Tetrabromobisphenol A (TBBP A)			
59536-65-1	Polybromobiphenyls (PBB)			
3194-55-6	Hexabromocyclododecane (HBCDD)			
3296-90-0	2,2-bis(bromomethyl)-1,3-propanediol (BBMP)			
13674-87-8	Tris(1,3-dichloro-isopropyl) phosphate (TDCPP)		All materials: EN ISO 17881-2:2016	
25155-23-1	Trixylyl phosphate (TXP)			
126-72-7	Tris(2,3,-dibromopropyl) phosphate (TRIS)			
545-55-1	Tris(1-aziridinyl)phosphine oxide) (TEPA)			
115-96-8	Tris(2-chloroethyl)phosphate (TCEP)			
5412-25-9	Bis(2,3-dibromopropyl) phosphate (BDBPP)			
68937-41-7	Phenol, isopropylated phosphate (3:1) (PIP (3:1))	1000 ppm each	All materials: EN ISO 17881-2:2016	50 ppm
115-86-6	Triphenyl phosphate (TPP)			
Fluorinated Greenhouse Gases				
Various	See Regulation (EU) 2024/573 for a complete list.	Prohibited from use	Sample preparation: Purge and trap — thermal desorption or SPME Measurement: GC/MS	0.1 ppm each
Formaldehyde				
50-00-0	Formaldehyde	Adults and children: 75 ppm Babies: 16 ppm	All materials except Leather: JIS L 1041-2011 A (Japan Law 112) or EN ISO 17226-1:2021	16 ppm

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Heavy Metals <u>Extractable</u> and <u>Total Content</u> (and <u>Nickel</u>)				
7440-36-0	Antimony (Sb)	Extractable: 30 ppm	All materials except Leather: DIN EN 16711-2:2016 Leather: DIN EN ISO 17072-1:2019	Extractable: 3 ppm
7440-38-2	Arsenic (As)	Extractable: 0.2 ppm Total: 100 ppm	Extractable: All materials except Leather: DIN EN 16711-2:2016 Leather: DIN EN ISO 17072-1:2019 Total: All materials except Leather: DIN EN 16711-1:2016 Leather: DIN EN ISO 17072-2:2019	Extractable: 0.1 ppm Total: 10 ppm
7440-39-3	Barium (Ba)	Extractable: 1000 ppm	All materials except Leather: DIN EN 16711-2:2016 Leather: DIN EN ISO 17072-1:2019	Extractable: 100 ppm
7440-43-9	Cadmium (Cd)	Extractable:0.1 ppm Total: 40 ppm	Extractable: All materials except Leather: DIN EN 16711-2:2016 Leather: DIN EN ISO 17072-1:2019 Trims: CNS 4797-2 Total: All materials except Leather: DIN EN 16711-1:2016 Leather: DIN EN ISO 17072-2:2019	Extractable: 0.05 ppm Total: 5 ppm
7440-47-3	Chromium (Cr)	Extractable: Textiles: Babies: 1 ppm Adults and children: 2 ppm	Textiles: DIN EN 16711-2:2016 Leather: EN ISO 17072-1:2019	Extractable: 0.5 ppm
18540-29-9	Chromium VI	Extractable: Leather: 3 ppm Textiles: 0.5 ppm	Textiles: DIN EN 16711-2:2016 with EN ISO 17075-1:2017 if Cr is detected Leather: EN ISO 17075-1:2017 and EN ISO 17075-2:2017 for confirmation in case the extract causes interference. Alternatively, EN ISO 17075-2:2017 may be used on its own. Ageing test: ISO 10195:2018 Method A2.	Extractable: Leather: 3 ppm Textiles: 0.5 ppm
7440-48-4	Cobalt (Co)	Extractable: Adults: 4 ppm Children and babies: 1 ppm	All materials except Leather: DIN EN 16711-2:2016 Leather: DIN EN ISO 17072-1:2019	Extractable: 0.5 ppm

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Heavy Metals <u>Extractable</u> and <u>Total Content</u> (and <u>Nickel</u>)				
7440-50-8	Copper (Cu)	Extractable: Adults: 50 ppm Children and babies: 25 ppm Home textiles: 25 ppm	All materials except Leather: DIN EN 16711-2:2016 Leather: DIN EN ISO 17072-1:2019	Extractable: 5 ppm
7439-92-1	Lead (Pb)	Extractable: Adults: 1 ppm Children and babies: 0.2 ppm Total: 90 ppm	Extractable: All materials except Leather: DIN EN 16711-2:2016 Leather: DIN EN ISO 17072-1:2019 Total: Non-metal: CPSC-CH-E1002-08.3 Metal: CPSC-CH-E1001-08.3 Lead in paint and surface coatings: CPSC-CH-E1003-09.1	Extractable: 0.2 ppm Total: 10 ppm
7439-97-6	Mercury (Hg)	Extractable: 0.02 ppm Total: 0.5 ppm	Extractable: All materials except Leather: DIN EN 16711-2:2016 Leather: DIN EN ISO 17072-1:2019 Total: All materials except Leather: DIN EN 16711-1:2016 Leather: DIN EN ISO 17072-2:2019	Extractable: 0.02 ppm Total: 0.1 ppm
7440-02-0	Nickel (Ni) +	Extractable: Adults and children: 1 ppm Infant: 1 ppm Prolonged skin contact (including eyewear frames): 0.5 µg/cm²/week Pierced part: 0.2 µg/cm²/week	Extractable: All materials except Leather: DIN EN 16711-2:2016 Leather: DIN EN ISO 17072-1:2019 Release: EN 12472:2020 and EN 1811:2023 Release (eyewear frames): EN 16128:2015	Extractable: 0.1 ppm Release: 0.5 µg/cm²/week
7782-49-2	Selenium (Se)	Extractable: 100 ppm	All materials except Leather: DIN EN 16711-2:2016 Leather: DIN EN ISO 17072-1:2019	Extractable: 50 ppm
<u>Monomers</u>				
100-42-5	Styrene, Free	500 ppm	Extraction in Methanol GC/MS, sonication at 60 degrees C for 60 minutes	50 ppm
75-01-4	Vinyl Chloride	1 ppm	EN ISO 6401:2022	1 ppm

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
<u>N-Nitrosamines</u>				
62-75-9	N-nitrosodimethylamine (NDMA)	0.5 ppm each	EN ISO 19577:2019, with LC/MS/MS verification if positive. Alternatively, LC/MS/MS may be performed on its own. EN ISO 19577:2019	0.5 ppm each
55-18-5	N-nitrosodiethylamine (NDEA)			
621-64-7	N-nitrosodipropylamine (NDPA)			
924-16-3	N-nitrosodibutylamine (NDBA)			
100-75-4	N-nitrosopiperidine (NPIP)			
930-55-2	N-nitrosopyrrolidine (NPYR)			
59-89-2	N-nitrosomorpholine (NMOR)			
614-00-6	N-nitroso N-methyl N-phenylamine (NMPhA)			
612-64-6	N-nitroso N-ethyl N-phenylamine (NEPhA)			
<u>Organotin Compounds</u>				
Various	Dibutyltin (DBT)	1.0 ppm each	All materials: CEN ISO/TS 16179:2012 or EN ISO 22744-1:2020 ISO 16179:2025 (specific to footwear)	0.1 ppm each
Various	Diocetyltn (DOT)			
Various	Monobutyltin (MBT)			
Various	Tricyclohexyltin (TCyHT)			
Various	Trimethyltin (TMT)			
Various	Triocetyltn (TOT)			
Various	Monooctyltin (MOT)			
Various	Tripropyltin (TPT)			
16408-14-3	Dimethyltin (DMT)	1.0 ppm each in textiles		
1461-25-2	Tetrabutyltin			
597-64-8	Tetraethyltin (TeET)			
16408-15-4	Monomethyltin (MMT)			
Various	Tributyltin (TBT)	0.5 ppm each		
Various	Triphenyltin (TPhT)			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Ortho-phenylphenol				
90-43-7	Ortho-phenylphenol (OPP)	1.0 ppm	All materials: EN 17134-2:2023	1.0 ppm
Ozone-depleting Substances				
Various	See Regulation (EC) No 2024/590 for a complete list.	5 ppm	All materials: GC/MS headspace 120 degrees C for 45 minutes	5 ppm
Perfluorinated and Polyfluorinated Chemicals (PFAS)				
<i>Please note that effective January 1, 2024, all Capri products entering the market must not contain intentionally added PFAS' chemistries.</i>				
Various	All PFAS as measured by total organic fluorine	50 ppm	EN 14582:2016 or ASTM D7359:2023	20 ppm for individual sample. 50 ppm for max. composite of two samples
Various	Perfluorooctane Sulfonate (PFOS), its salts and related substances	1 µg/m2 total	EN ISO 23702-1:2018	1 µg/m² total
Various	Perfluorooctanoic Acid (PFOA), its salts, and its salts	25 ppb total		25 ppb total
Various	PFOA-related substances	1000 ppb total		1000 ppb total
Various	C9-C14 Linear and branched perfluorocarboxylic acids (PFCA), including their salts and related substances	25 ppb (Sum of C9-C14 PFCA and their salts) 260 ppb (Sum of C9-C14 PFCA-related substances)		260 ppb
Various	Perfluorohexanesulfonic acid (PFHxS) and related compounds.	≤ 25 µg/kg (PFHxS and its salts), Sum ≤ 1000 µg/kg (sum of PFHxS-related substances)		1000 ppb
Various	PFHxA, its salts, and related substances	< 25 ppb (sum of PFHxA and its salts) < 1000 ppb (sum of PFHxA-related substances)		1000 ppb
Pesticides and Herbicides, <u>Agricultural</u>				
Various	See Appendix for a complete list.	0.5 ppm each	All materials: ISO 15913/DIN 38407 F2 or EPA 8081/EPA 8151A or BVL L 00.00-34:2010-09	0.5 ppm each

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
<u>Phthalates</u>				
28553-12-0	Di-Iso-nonylphthalate (DINP)	500 ppm each Total: 1000 ppm	Sample preparation for all materials: CPSC-CH-C1001-09.4 Measurement: Textiles: GC/MS, EN ISO 14389:2014 (7.1 Calculation based on weight of print only; 7.2 Calculation based on weight of print and textile if print cannot be removed). All materials except textiles: GC/MS	50 ppm each
117-84-0	Di-n-octylphthalate (DNOP)			
117-81-7	Di(2-ethylhexyl)-phthalate (DEHP)			
26761-40-0	Diisodecylphthalate (DIDP)			
85-68-7	Butylbenzylphthalate (BBP)			
84-74-2	Dibutylphthalate (DBP)			
84-69-5	Diisobutylphthalate (DIBP)			
84-75-3	Di-n-hexylphthalate (DnHP)			
84-66-2	Diethylphthalate (DEP)			
131-11-3	Dimethylphthalate (DMP)			
131-18-0	Di-n-pentyl phthalate (DPENP)			
84-61-7	Dicyclohexyl phthalate (DCHP)			
71888-89-6	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich			
117-82-8	Bis(2-methoxyethyl) phthalate			
605-50-5	Diisopentyl phthalate (DIPP)			
131-16-8	Dipropyl phthalate (DPRP)			
27554-26-3	Diisooctyl phthalate (DIOP)			
68515-50-4	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear			
71850-09-4	Diisohexyl phthalate (DIHxP)			
68515-42-4	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)			
84777-06-0	1,2-Benzenedicarboxylic acid Dipentyl ester, branched and linear			
68648-93-1	1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters or mixed decyl and hexyl and octyl diesters with ³ 0.3% of dihexyl phthalate; 1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters; 1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters			
68515-51-5				
776297-69-9	n-Pentyl-isopentylphthalate (nPIPP)			
26040-51-7	Bis(2-ethylhexyl) tetrabromophthalate (TBPH)			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
<u>Polycyclic Aromatic Hydrocarbons (PAHs)</u>				
83-32-9	Acenaphthene	No individual restriction; Sum of all PAHS: 10 ppm	All materials: AFPS GS 2019 or EN 17132:2019 or ISO 16190:2021	0.2 ppm each
208-96-8	Acenaphthylene			
120-12-7	Anthracene			
191-24-2	Benzo(g,h,i)perylene			
86-73-7	Fluorene			
206-44-0	Fluoranthene			
193-39-5	Indeno(1,2,3-cd)pyrene			
91-20-3	Naphthalene			
85-01-8	Phenanthrene			
129-00-0	Pyrene			
56-55-3	Benzo(a)anthracene	Sum of all PAHs: 10 ppm Individual restriction adults: 1 ppm Children: 0.5 ppm	All materials: AFPS GS 2019 or EN 17132:2019 or ISO 16190:2021	0.2 ppm each
50-32-8	Benzo(a)pyrene			
205-99-2	Benzo(b)fluoranthene			
192-97-2	Benzo[e]pyrene			
205-82-3	Benzo[j]fluoranthene			
207-08-9	Benzo(k)fluoranthene			
218-01-9	Chrysene			
53-70-3	Dibenzo(a,h)anthracene			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
<u>Quinoline</u>				
91-22-5	Quinoline	50 ppm	All materials: DIN 54231:2022 with methanol extraction at 70 degrees C	10 ppm
<u>Solvents and Residuals</u>				
68-12-2	Dimethylformamide (DMFa)	500 ppm	Textiles: EN 17131:2019 All other materials: DIN CEN ISO/TS 16189:2021	50 ppm each
75-12-7	Formamide	1000 ppm		
127-19-5	Dimethylacetamide (DMAC)			
872-50-4	N-Methyl-2-pyrrolidone (NMP)			
<u>UV Absorbers / Stabilizers</u>				
3846-71-7	UV 320	1000 ppm each	ISO 24040:2022 (Extraction in THF, analysis by GC/MS)	100 ppm each
3896-11-5	UV 326			
3864-99-1	UV 327			
25973-55-1	UV 328			
36437-37-3	UV 350			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Volatile Organic Compounds (VOCs)				
71-43-2	Benzene	5 ppm	For general VOC screening: GC/MS headspace 45 minutes at 120 degrees C PVC: GB 21550 Clause 5.5	Benzene: 5 ppm Other: 20 ppm each
75-15-0	Carbon Disulfide	Total: 1000 ppm For PVC: 20 ppm		
56-23-5	Carbon Tetrachloride			
67-66-3	Chloroform			
108-94-1	Cyclohexanone			
107-06-2	1,2-Dichloroethane			
75-35-4	1,1-Dichloroethylene			
100-41-4	Ethylbenzene			
76-01-7	Pentachloroethane			
630-20-6	1,1,1,2- Tetrachloroethane			
79-34-5	1,1,2,2- Tetrachloroethane			
127-18-4	Tetrachloroethylene (PERC)			
108-88-3	Toluene			
71-55-6	1,1,1- Trichloroethane			
79-00-5	1,1,2- Trichloroethane			
79-01-6	Trichloroethylene			
1330-20-7	Xylenes (meta-, ortho-, para-)			
108-38-3				
95-47-6				
106-42-3				
96-18-4	1,2,3-trichloropropane	For informational purposes only. Limit 1000 ppm total.		
78-87-5	1,2,Dichloropropane			
111-15-9	2-Ethoxyethyl acetate			
149-57-5	2-Ethylhexane acid			
62-53-3	Aniline			
111-96-6	Bis(2-methoxyethyl)ether			
78-59-1	Isophorone			

CAPRI PRODUCT RESTRICTED SUBSTANCES LIST

CAS NUMBER	SUBSTANCE	CAPRI LIMIT	TEST METHOD	REPORTING LIMIT
Volatile Organic Compounds (VOCs)				
108-95-2	Phenol	For informational purposes only. Limit 1000 ppm total.	For general VOC screening: GC/MS headspace 45 minutes at 120 degrees C PVC: GB 21550 Clause 5.5	20 ppm each
109-99-9	THF			
106-94-5	1-bromopropane			
70657-70-4	1-PG2MEA 1-Propanol,2-methoxy-, acetate)			
111-77-3	2-(2-Methoxyethoxy)ethanol			
584-84-9	2,4-toluene diisocyanate			
110-80-5	2-ethoxyethanol			
	2-Methoxyethanol			
109-86-4	EGME (ethylene glycol monomethyl ether)			
1589-47-5	2-Methoxypropan-1-ol			
110-71-4	EGDME (Ethylene glycol dimethyl ether			
	EGMEA (Ethylene glycol monomethyl ether acetate)			
110-49-6				
67-72-1	Hexachloroethane			
75-09-2	Merhylene chloride (dichloromethane)			
110-54-3	n-hexane			
112-49-2	TEGDME (Triethylene glycol dimethyl ether)			

APPENDIX

Change Log

Terms and Definitions

Common Per and Polyfluorinated Substances

Pesticides and Herbicides

APPENDIX – CHANGE LOG

CHEMICAL CLASS	UPDATE FOR PRSL 2025	PAGE
pH Value	Updated pH range for leather	5
Azo-amines and Arylamine Salts	Updated testing method for leather	6
Bisphenols	Added Bisphenol-S (BPS)- new chemical limit for 2025	7
Chlorinated Benzenes and Toluenes	Added test method to include latest version	8
Cyclosiloxanes	New chemical limit for 2025	9
Brominated & Organophosphorous Substances (category formerly called Flame Retardants)	Added Phenol, isopropylated phosphate (3:1) (PIP (3:1)) and Triphenyl phosphate (TPP)- new chemical limit for 2025	11
Fluorinated Greenhouse Gases	Updated regulation reference for substance list	11
Chromium VI	Updated textile limit to 0.5 ppm	12
Copper (Cu)	Added limit specific to home textiles	13
Nickel (Ni)	Updated adult limit	13
Selenium (Se)	Updated extractable limit	13
N-Nitrosamines	Updated test method	14
Organotin Compounds	Added Dimthyltin (DMT), Tetrabutyltin, Tetraethyltin (TeET), Monomethyltin (MMT)- new chemical limit for 2025	14
Ozone Depleting Substances	Updated regulation reference	15
Perfluorinated and Polyfluorinated Chemicals (PFAS)	Added limit for PFHxA; updated reporting limit for total organic fluorine	15
Quinoline	Updated test method	18
Dimethylformamide (DMFa)	Updated limit and test method	18
UV Absorbers / Stabilizers	Added UV 326- new chemical limit for 2025; updated test method	18
Volatile Organic Compounds (VOCs)	Added additional VOCs for informational testing only	19-20

APPENDIX – TERMS AND DEFINITIONS

TERM	DEFINITION
CAS Number	Unique numerical identifiers assigned by Chemical Abstracts Service to every chemical substance
Reporting Limit	Reporting limits are values at or above the method Practical Quantification Limit (PQL). The PQL represents the lowest level at which accurate, precise, and robust data can be reported for test methods indicated
ppm	“Part per million” or ppm is equivalent to mg/kg
Product Age Ranges	
Babies or Infant	Refers to products intended for infants ages 0-36 months
Children	Refers to products intended for children ages 36 months- 14 years
Adult	Refers to products intended for use by adults ages 16 years or older

APPENDIX – COMMON PER AND POLYFLUOROALKYL SUBSTANCES (PFAS)

CAS NUMBER	PFAS NAME	CAS NUMBER	PFAS NAME
PFOS and Related Substances		PFHxS and Its Salts	
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	355-46-4	Perfluorohexane Sulfonic acid
2795-39-3	Perfluorooctanesulfonic acid, potassium salt	3871-99-6	Perfluorohexane Sulfonic acid, potassium salt
29457-72-5	Perfluorooctanesulfonic acid, lithium salt	55120-77-6	Perfluorohexane Sulfonic acid, lithium salt
29081-56-9	Perfluorooctanesulfonic acid , ammonium salt	68259-08-5	Perfluorohexane Sulfonic acid, ammonium salt
70225-14-8	Perfluorooctane sulfonate diethanolamine salt	82382-12-5	Perfluorohexane Sulfonic acid, sodium salt
56773-42-3	Perfluorooctanesulfonic acid, tetraethylammonium salt	PFHxS-related Substances	
251099-16-8	Didecylmethyl ammonium perfluorooctane sulfonate	68259-15-4	N-Methylperfluoro-1-hexasulfonamide
4151-50-2	N-Ethylperfluoro-1-octanesulfonamide	41997-13-1	Perfluorohexane sulfonamide
31506-32-8	N-Methylperfluoro-1-octanesulfonamide	C9-C14 PFCAs and Their Salts	
1691-99-2	2-(N-Ethylperfluoro-1-octanesulfonamide)-ethanol	375-95-1	Perfluorononanoic acid
24448-09-7	2-(N-Methylperfluoro-1-octanesulfonamide)-ethanol	335-76-2	Perfluorodecanoic acid
307-35-7	Perfluoro-1-octanesulfonyl fluoride	2058-94-8	Perfluoroundecanoic acid
754-91-6	Perfluorooctane sulfonamide	307-55-1	Perfluorododecanoic acid
PFOA and Its Salts		72629-94-8	Perfluorotridecanoic acid
335-67-1	Perfluorooctanoic acid (PFOA)	376-06-7	Perfluorotetradecanoic acid
335-95-5	Sodium perfluorooctanoate	172155-07-6	Perfluoro-3-7-dimethyloctanecarboxylate
2395-00-8	Potassium perfluorooctanoate	C9-C14 PFCA-related substances	
335-93-3	Silver perfluorooctanoate	17741-60-5	1H,1H,2H,2H Perfluorododecyl acrylate
335-66-0	Perfluorooctanoyl fluoride	2144-54-9	1H,1H,2H,2H Perfluorododecyl methacrylate
3825-26-1	Ammonium pentadecafluorooctanoate	865-86-1	1H,1H,2H,2H Perfluorododecanol
PFOA-related Substances		34598-33-9	2H,2H,3H,3H Perfluoroundecanoic acid
39108-34-4	1H,1H,2H,2H-Perfluorodecanesulfonic acid	678-39-7	Perfluorocycloethanol
376-27-2	Methyl perfluorooctanoate	39239-77-5	1H,1H,2H,2H-perfluorotetradecan-1-ol
318-24-5	Ethyl perfluorooctanoate	120226-60-0	1H,1H,2H,2H-Perfluorododecanesulphonic acid
678-39-7	Perfluorocycloethanol	2043-54-1	1H,1H,2H,2H-Perfluorododecyl iodide
27905-45-9	1H,1H,2H,2H-Perfluorodecyl acrylate	30046-31-2	1H,1H,2H,2H-Perfluorotetradecyl iodide
1996-88-9	1H,1H,2H,2H-Perfluorodecyl methacrylate	Other Perfluoroalkyl Carboxylic Acids (PFCAs)	
27854-31-5	2H,2H-Perfluorodecanoic acid	307-24-4	Perfluorohexanoic Acid

APPENDIX – PESTICIDES AND HERBICIDES, AGRICULTURAL

CAS NUMBER	PESTICIDE NAME	CAS NUMBER	PESTICIDE NAME
93-72-1	2-propionic acid, its salts and compounds; 2,4,5-TP	33213-65-9	Endrine
93-76-5	2,4,5-T	72-20-8	Esfenvalerate
94-75-7	2,4-D	66230-04-4	Ethylendibromid
309-00-2	Aldrine	106-93-4	Ethylparathione; Parathion
86-50-0	Azinophosmethyl	56-38-2	Fenvalerate
2642-71-9	Azinophosethyl	51630-58-1	Halogenated naphthalenes, including polychlorinated naphthalenes
4824-78-6	Bromophos-ethyl	Various	Heptachlor
6/1/2425	Captafol	76-44-8	Heptachlorepoxyde
63-25-2	Carbaryl	1024-57-3	a-Hexachlorocyclohexane with & without Lindane
510-15-6	Chlorbenzilate	319-85-7	b-Hexachlorocyclohexane with & without Lindane
57-74-9	Chlordimeform	319-86-8	g-Hexachlorocyclohexane with & without Lindane
6164-98-3	Chlorfenvinphos	118-74-1	Hexachlorobenzene
470-90-6	Chlorthalonil	465-73-6	Isodrine
1897-45-6	Coumaphos	4234-79-1	Kelevane
56-72-4	Cyfluthrin	143-50-0	Kepone
68359-37-5	Cyhalothrin	58-89-9	Lindane
91465-08-6	Cypermethrin	121-75-5	Malathione
52315-07-8	S,S,S-Tributyl phosphotriothioate	94-74-6	MCPA
76-48-8	Deltamethrin	94-81-5	MCPB
52918-63-5	DDD	93-65-2	Mecoprop
53-19-0		10265-92-6	Metamidophos
72-54-8	DDE	72-43-5	Methoxychlor
3424-82-6		2385-85-5	Mirex
72-55-9	DDT	6923-22-4	Monocrotophos
50-29-3		298-00-0	Parathion-methyl
789-02-6	Diazinone	1825-21-4	Pentachloroanisole
333-41-5	Dichlofuanide	7786-34-7	Phosdrin/Mevinphos
1085-98-9	Dichloroprop	72-56-0	Perthane
120-36-5	Dicofol	31218-83-4	Propethamphos
115-32-2	Dicrotophos	41198-08-7	Profenophos
141-66-2	Dieldrine	13593-03-8	Quinalphos
60-57-1	Dimethoate	82-68-8	Quintozene
60-51-5	Dinoseb, its salts and acetate	8001-50-1	Strobane
88-85-7	DTTB	297-78-9	Telodrine
63405-99-2	Endosulfan	8001-35-2	Toxaphene
115-29-7	Endosulfan I	731-27-1	Tolylfuanide
959-98-8	Endosulfan II	1582-09-8	Trifluraline